=> file caplus biosis

=> s (hawkes, r?)/au

L1 426 (HAWKES, R?)/AU

=> s (male(5a)steril?)/ab,bi

L2 17151 (MALE(5A) STERIL?)/AB,BI

=> s 11 and 12

L3 0 L1 AND L2

=> s (hawkes, t?)/au

L4 132 (HAWKES, T?)/AU

=> s 14 and 12

L5 3 L4 AND L2

=> dup rem 15

PROCESSING COMPLETED FOR L5

L6 3 DUP REM L5 (0 DUPLICATES REMOVED)

=> d 16 1-3 ti py

L6 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

TI A method of selectively producing ***male*** or female ***sterile*** plants with herbicide resistance

PY 2005

L6 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

TI A method of selectively producing ***male*** or female ***sterile*** plants with modified D-amino acid oxidase

PY 2005

L6 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

TI Selective induction of ***male*** or female ***sterile*** plants using enzymes activating non-phytotoxic precursors of herbicides PY 2003

=> d 16 3

L6 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2009 ACS on STN

AN 2003:697074 CAPLUS << LOGINID::20090517>>

DN 139:227448

TI Selective induction of ***male*** or female ***sterile*** plants using enzymes activating non-phytotoxic precursors of herbicides

```
***Hawkes, Timothy Robert***; Mitchell, Glynn; Hadfield, Stephen
  Thomas; Thompson, Paul Anthony; Viner, Russell; Zhang, Yan
PA Syngenta Limited, UK
SO PCT Int. Appl., 75 pp.
  CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1
  PATENT NO.
                   KIND DATE
                                                        DATE
                                   APPLICATION NO.
PI WO 2003072792
                     A2 20030904 WO 2003-GB683
                                                       20030214
                    A3 20040318
  WO 2003072792
                  A1 20030904 CA 2003-2475485
  CA 2475485
                                                    20030214
  AU 2003207323
                    A1 20030909 AU 2003-207323
                                                     20030214
  AU 2003207323
                    B2 20070913
                  A2 20041201 EP 2003-704795
  EP 1481068
                                                   20030214
  BR 2003007965
                   Α
                       20050201 BR 2003-7965
                                                   20030214
  JP 2005518214
                   T
                      20050623 JP 2003-571473
                                                   20030214
  CN 1639344
                      20050713 CN 2003-804625
                                                   20030214
                  Α
  RU 2320722
                  C2 20080327 RU 2004-129286
                                                   20030214
  MX 2004007931
                       20041126 MX 2004-7931
                                                    20040816
                    Α
  US 20050150013
                    A1 20050707 US 2005-504784
                                                     20050225
  US 20080250535
                    A1 20081009 US 2008-111364
                                                     20080429
PRAI GB 2002-4484
                     A 20020226
  GB 2002-23359
                       20021008
  WO 2003-GB683
                    W
                         20030214
  US 2005-504784
                       20050225
                    A3
=> s ((phosphinothricin(w)acetyltransferase?) or
(phosphinothricin(w)acetyl(w)transferase?) or ppt)/ab,bi
     213213 ((PHOSPHINOTHRICIN(W) ACETYLTRANSFERASE?) OR
(PHOSPHINOTHRICIN(W
       ) ACETYL(W) TRANSFERASE?) OR PPT)/AB,BI
=> s (deacetylase? or deaminase? or hydrolase?)/ab,bi
     109064 (DEACETYLASE? OR DEAMINASE? OR HYDROLASE?)/AB.BI
=> s 17(1)18
L9
      148 L7(L) L8
=> s 19(1)12
L10
        1 L9(L) L2
=> s 10 not 16
L11
      4106 L0 NOT L6
```

L12 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN

TI Production of N-acetyl-phosphinothricin: a substance used for inducing male sterility in transgenic plants

PY 2005

=> d 112

L12 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN

AN 2005:163945 CAPLUS << LOGINID::20090517>>

DN 143:95898

TI Production of N-acetyl-phosphinothricin: a substance used for inducing male sterility in transgenic plants

AU Risse, Joe Max; Puehler, Alfred; Flaschel, Erwin

CS Technische Fakultaet, Universitaet Bielefeld, Bielefeld, D-33501, Germany

SO Engineering in Life Sciences (2005), 5(1), 38-45

CODEN: ELSNAE; ISSN: 1618-0240

PB Wiley-VCH Verlag GmbH & Co. KGaA

DT Journal

LA English

=> s (plastocyanin?(5a)promoter?)/ab,bi

L13 66 (PLASTOCYANIN?(5A) PROMOTER?)/AB,BI

=> s 113(1)17

L14 1 L13(L) L7

=> s 114 not 112

L15 1 L14 NOT L12

=> s 115 not 16

L16 1 L15 NOT L6

=> d 116

L16 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN

AN 1999:646718 CAPLUS << LOGINID::20090517>>

DN 132:161813

TI Increased stable inheritance of herbicide resistance in transgenic lettuce carrying a petE promoter-bar gene compared with a CaMV 35S-bar gene

AU McCabe, M. S.; Schepers, F.; Van Der Arend, A.; Mohapatra, U.; De Laat, A.

M. M.; Power, J. B.; Davey, M. R.

- CS Plant Science Division, School of Biological Sciences, University of Nottingham, University Park, Nottingham, NG7 2RD, UK
- SO Theoretical and Applied Genetics (1999), 99(3-4), 587-592 CODEN: THAGA6; ISSN: 0040-5752

=> d 116 ab

 $\Rightarrow \log y$

STN INTERNATIONAL LOGOFF AT 20:57:20 ON 17 MAY 2009